


Technical sheet :

WIDE OPENING FORK POSITIONER



Benefits

- Homologated by Manitou= perfect integration of the attachment on the truck
- Spread forks beyond the truck's width
- Efficiency in wide load handling
- Component placement designed to optimize visibility
- Very efficient fork synchronization
- High component protection

Technical characteristics

- "Double T" frame structure= resistance & visibility
- "Industrial clamp" frame type= rigidity
- Uses the truck's ISO forks
- Fork synchronization through a dedicated hydraulic valve
- Valve block placed on the back of the attachment=protection

- No side shift: recommended on trucks with integrated side shift

Capacities		CAI 1680 / 2500 P	CAI 1720 / 2800 P
Capacity (kg)		2500	2800
Weight and dimensions			
Overall length (mm)	l1	157	182
Overall height (mm)	h17	627	733
Width (mm)		870	970
Overall weight (kg)		193	233
Working Parameters			
Machine Equipement		Hydraulic line	Hydraulic line
Fork spread minimum (mm)	b3	560	560
Fork spread maximum (mm)	b3	1680	1720
Hydraulic system		false	false
Machines compatibility		CAI 1680 / 2500 P	CAI 1720 / 2800 P
Reference Number		52531185	52531186



Siège Social
430 rue de l'Aubinière - 44150 Ancenis Cedex - France
Tel: +33(0)2 40 09 10 11 - Fax: +33 (0)2 40 09 10 97
www.manitou.com



This brochure describes versions and configuration options for Manitou products which may be fitted with different equipment. The equipment described in this brochure may be standard, optional or not available depending on version. Manitou reserves the right to change the specifications shown and described at any time and without prior warning. The manufacturer is not liable for the specifications given. For more information, contact your Manitou dealer. Non-contractual document. Product descriptions may differ from actual products. List of specifications is not comprehensive. The logos and visual identity of the company are the property of Manitou and may not be used without authorisation. All rights reserved. The photos and diagrams contained in this brochure are provided for information only.

MANITOU BF SA - Limited company with board of directors - Share capital: 39,547,824 euros - 857 802 508
RCS Nantes